



耀翔集團

中山誠盈塑膠科技有限公司

中國:中山誠盈廠
電話:+86-760-22738858
傳真:+86-760-22738878
信箱:sales@yaoshyan.com
地址:中國廣東省中山市東升鎮為民路72號
郵編:528414

中山耀翔塑膠制品有限公司

中國:中山耀翔廠
電話:+86-760-22227551
傳真:+86-760-22226778
信箱:sales@yaoshyan.com
地址:中國廣東省中山市東升鎮廣福路11號
郵編: 528414

上海耀弘塑膠制品有限公司

中國:上海耀弘廠
電話:+86-21-36042165
傳真:+86-21-36043800
信箱:sales@yaoshyan.com
地址:中國上海市寶山區顧村鎮寶安公路851號
郵編:201906

耀翔工業股份有限公司

臺灣:臺南耀翔廠
電話:+886-6-5938178
傳真:+886-6-5938191
信箱:sales@yaoshyan.com
地址:臺灣臺南市安定區中沙村沙侖26號
郵編:745

Yao Shyan Group

Zhongshan Cheng Ying Plastic Technology Co., LTD

China:Zhongshan Cheng Ying Factory
T: + 86-760-22738858
F: + 86-760-22738878
E:sales@yaoshyan.com
No.72,WeiMin Rd., DongSheng Town, Zhongshan City, Guangdong Province, China.
Postal Code: 528414

Zhongshan Yao Shyan Plastic Products Co., LTD

China:Zhongshan Yao Shyan Factory
T: + 86-760-22227551
F: + 86-760-22226778
E:sales@yaoshyan.com
No. 11, GuangFuRd., DongSheng Town, Zhongshan City, Guangdong Province, China.
Postal Code: 528414

Shanghai Yao Hong Plastic Products Co., LTD

China:Shanghai Yao Hong Factory
T: + 86-21-36042165
F: + 86-21-36043800
E:sales@yaoshyan.com
No. 851, BaoAn Rd., GuCun Town, BaoShan District, Shanghai, China.
Postal Code: 201906

Yolk Shing Industry Co., LTD

Taiwan: Tainan Yolk Shing Factory
T: + 886-6-5938178
F: + 886-6-5938191
E:sales@yaoshyan.com
No. 26, ShaLun, ChunShaTsun, Anding District, Tainan City, Taiwan.
Postal Code: 745

Keep Moving Forward



Yao Shyan
Since 1986

Professional whoools maker.

www.yaoshyan.com




Understanding of YS wheels serial code:

了解耀翔輪子序號：

Symbol illustrated: 解說：

- YS** = Yao Shyan (耀翔)
- E** = EVA Tire (EVA發泡輪)
- R** = Rubber air tire (橡膠打氣胎)
- PU** = PolyUrethane tire (PU胎)
- RS** = Rubber Skin + inner EVA Tire (橡膠包EVA內胎)

serial#: 系列號:	inch 尺寸-	1 sideor2 sides 單面 或 雙面	tire 外胎	remark: 備注:	
YS-506-	5.5"-	1-	E-3	(86g)	YS - 506 series - 5.5 inch - 1 side -EVA-3 tire pattern
YS-508-	7"-	2-	E-1	152g+(2*12g)	YS - 508 series - 7 inch - 2 sides -EVA-1 tire pattern
YS-508-	7"-	2-	PU-1	265g+(2*12g)	YS - 508 series - 7 inch - 2 sides -PU-1 tire pattern
YS-508-	8"-	1-	PU-2	(385g)	YS - 508 series - 8 inch - 1 side -PU-2 tire pattern
YS-508-	8"-	2-	PU-2	387g+(2*12g)	YS - 508 series - 8 inch - 2 sides -PU-2 tire pattern
YS-508-	9.5"-	1-	RS-1	(510g)	YS - 508 series - 9.5 inch - 1 side -RS-1 tire pattern
YS-508-	9.5"-	2-	RS-2	516g+(2*20g)	YS - 508 series - 9.5 inch - 2 sides -RS-2 tire pattern
YS-508-	11.5"-	1-	RS-3	(743g)	YS - 508 series - 11.5 inch - 1 side -RS-3 tire pattern
YS-398-	16"-	1-	R	1140g+(1*20g)	YS - 398 series - 16 inch - 1 side -rubber tire



Focus On Wheels
Since 1986



Standard: EVA tire
lightweight
economical



Upper: PU tire
better re-bouncing feeling
better wearing than EVA tire



Premium: Rubber Skin tire
high wearing (abrasion)
rubber surface



YS-518

(五星輪)



RS-1

YS-518-10"-1-RS-1
(241mm*41mm) 495g



RS-3

YS-518-10"-1-RS-3
(248mm*42mm) 505g



RS-2

YS-518-12"-1-RS-2
(295mm*43mm) 646g



PU-2

YS-518-8"-2-PU-2
(198mm*36mm) 360g+(2*12g)



E-1

YS-518-10"-1-E-1
(237mm*42mm) 338g

● YS-518-8"-2-E,PU,RS.			
● YS-518-10"-1-E,PU,RS.	E-1 (237mm*42mm) 338g	PU-1 (236mm*44mm) 572g	PU-2 (198mm*36mm) 360g+(2*12g)
● YS-518-12"-1-E,PU,RS.	E-1 (290mm*42mm) 438g	PU-1 (287mm*43mm) 700g	PU-2 (239mm*42mm) 548g
● YS-518-8"-2-E,PU,RS.	RS-1 (203mm*36mm) 325g+(2*12g)	RS-2 (200mm*37mm) 314g+(2*12g)	RS-3 (208mm*39mm) 301g+(2*12g)
● YS-518-10"-1-E,PU,RS.	RS-1 (241mm*41mm) 495g	RS-2 (243mm*42mm) 500g	RS-3 (248mm*42mm) 505g
● YS-518-12"-1-E,PU,RS.		RS-2 (295mm*43mm) 646g	RS-3 (298mm*42mm) 659g



Perfect 360°





YS-508

(七支輪)



RS-3

YS-508-9.5"-2-RS-3
(250mm*40mm)510g+(2*20g)



PU-2

YS-508-9.5"-1-PU-2
(239mm*42mm)574g



RS-2

YS-508-11.5"-1-RS-2
(295mm*43mm)730g



E-1

YS-508-7"-2-E-1
(176mm*34mm)152g+(2*12g)



PU-1

YS-508-7"-2-PU-1
(176mm*35mm)265g+(2*12g)



RS-1

YS-508-8"-1-RS-1
(203mm*35mm)352g

- YS-508-7"-2-E,PU,RS.
- YS-508-8"-1-E,PU,RS.
- YS-508-8"-2-E,PU,RS.
- YS-508-9.5"-1-E,PU,RS.
- YS-508-9.5"-2-E,PU,RS.
- YS-508-11.5"-1-E,PU,RS.

- E-1 (176mm*34mm)152g+(2*12g)
- E-1 (237mm*42mm)364g
- E-1 (237mm*42mm)365g+(2*20g)
- E-1 (290mm*42mm)520g

- PU-1 (176mm*35mm)265g+(2*12g)
- PU-1 (236mm*44mm)604g
- PU-1 (236mm*44mm)605g+(2*20g)
- PU-1 (287mm*43mm)785g

- PU-2 (176mm*34mm)248g+(2*12g)
- PU-2 (198mm*36mm)385g
- PU-2 (198mm*36mm)387g+(2*12g)
- PU-2 (239mm*42mm)574g
- PU-2 (239mm*42mm)569g+(2*20g)
- PU-2 (288mm*41mm)721g

- YS-508-7"-2-E,PU,RS.
- YS-508-8"-1-E,PU,RS.
- YS-508-8"-2-E,PU,RS.
- YS-508-9.5"-1-E,PU,RS.
- YS-508-9.5"-2-E,PU,RS.
- YS-508-11.5"-1-E,PU,RS.

- RS-1 (181mm*34mm)255g+(2*12g)
- RS-1 (203mm*36mm)352g
- RS-1 (203mm*36mm)349g+(2*12g)
- RS-1 (241mm*41mm)510g
- RS-1 (241mm*41mm)514g+(2*20g)

- RS-2 (180mm*35mm)241g+(2*12g)
- RS-2 (200mm*37mm)345g
- RS-2 (200mm*37mm)348g+(2*12g)
- RS-2 (243mm*42mm)520g
- RS-2 (243mm*42mm)516g+(2*20g)
- RS-2 (295mm*43mm)730g

- RS-3 (180mm*35mm)218g+(2*12g)
- RS-3 (208mm*39mm)336g
- RS-3 (208mm*39mm)336g+(2*12g)
- RS-3 (248mm*42mm)515g
- RS-3 (250mm*40mm)510g+(2*20g)
- RS-3 (298mm*42mm)743g



wherever possible.





YS-388

(飛蝶輪)



RS-3

YS-388-9.5"-1-RS-3
(248mm*42mm)517g



RS-2

YS-388-9.5"-1-RS-2
(243mm*42mm)522g / 552g

With Black Cap
加上黑色大蓋



PU-2

YS-388-11.5"-1-PU-2
(288mm*41mm)714g



PU-1

YS-388-7"-2-PU-1
(176mm*35mm) 223g



E-1

YS-388-7"-1-E-1
(176mm*34mm)156g

- YS-388-7"-1-E, PU, RS.
- YS-388-7"-2-E, PU, RS.
- YS-388-9.5"-1-E, PU, RS.
- YS-388-11.5"-1-E, PU, RS.

E-1(176mm*34mm) 156g/182g
E-1(176mm*34mm) 160g+(2*12g)
E-1(237mm*42mm) 334g/390g
E-1(290mm*42mm) 472g

PU-1 (176mm*35mm) 219g/245g
PU-1 (176mm*35mm) 223g +(2*12g)
PU-1 (236mm*44mm) 470g/526g
PU-1 (287mm*43mm) 733g

PU-2 (176mm*34mm)259g
PU-2 (176mm*34mm)259g+(2*12g)
PU-2 (239mm*42mm)555g
PU-2 (288mm*41mm)714g

- YS-388-7"-1-E, PU, RS.
- YS-388-7"-2-E, PU, RS.
- YS-388-9.5"-1-E, PU, RS.
- YS-388-11.5"-1-E, PU, RS.

RS-1(181mm*34mm) 231g/257g
RS-1 (181mm*34mm)235g+(2*12g)
RS-1 (241mm*41mm) 480g

RS-2 (180mm*35mm)242g
RS-2 (180mm*35mm)242g+(2*12g)
RS-2 (243mm*42mm)522g
RS-2 (295mm*43mm)680g

RS-3 (180mm*35mm)220g
RS-3 (180mm*35mm)220g+(2*12g)
RS-3 (248mm*42mm)517g
RS-3 (298mm*42mm)714g



Your Journey, Our Passion.





YS-378

(三環輪)



PU-2

YS-378-9.5"-2-PU-2
(239mm*42mm)533g



PU-1

YS-378-9.5"-1-PU-1
(236mm*44mm) 463g



RS-3

YS-378-11.5"-1-RS-3
(298mm*42mm)645g



RS-2

YS-378-7"-2-RS-2
(180mm*35mm)238g+(2*12g)



E-1

YS-378-7"-1-E-1
(176mm*34mm)137g

• YS-378-5.5"-1-E	E-3 (138mm*27mm)77g		
• YS-378-7"-1-E, PU, RS.	E-1 (176mm*34mm)137g	PU-1 (176mm*35mm)213g	PU-2 (176mm*34mm)238g
• YS-378-7"-2-E, PU, RS.	E-1 (176mm*34mm)141g+(2*12g)	PU-1 (176mm*35mm)217g+(2*12g)	PU-2 (176mm*34mm)242g+(2*12g)
• YS-378-9.5"-1-E, PU, RS.	E-1 (237mm*42mm)324g	PU-1 (236mm*44mm)463g	PU-2 (239mm*42mm)538g
• YS-378-9.5"-2-E, PU, RS.	E-1 (237mm*42mm)319g+(2*20g)	PU-1 (236mm*44mm)458g+(2*20g)	PU-2 (239mm*42mm)533g+(2*20g)
• YS-378-11.5"-1-E, PU, RS.	E-1 (290mm*42mm)457g	PU-1 (287mm*43mm)717g	PU-2 (288mm*42mm)692g
• YS-378-7"-1-E, PU, RS.	RS-1 (181mm*34mm)224g	RS-2 (180mm*35mm)234g	RS-3 (180mm*35mm)211g
• YS-378-7"-2-E, PU, RS.	RS-1 (181mm*34mm)228g+(2*12g)	RS-2 (180mm*35mm)238g+(2*12g)	RS-3 (180mm*35mm)215g+(2*12g)
• YS-378-9.5"-1-E, PU, RS.	RS-1 (241mm*41mm)473g	RS-2 (243mm*42mm)498g	RS-3 (248mm*42mm)489g
• YS-378-9.5"-2-E, PU, RS.	RS-1 (241mm*41mm)468g+(2*20g)	RS-2 (243mm*42mm)493g+(2*20g)	RS-3 (248mm*42mm)484g+(2*20g)
• YS-378-11.5"-1-E, PU, RS.		RS-2 (295mm*43mm)658g	RS-3 (298mm*42mm)645g



Where there is a wheel, there is a way.





YS-368

(飛翔輪)



RS-2

YS-368-7"-2-RS-2

(180mm*35mm)228g+(2*12g)



RS-3

YS-368-9.5"-1-RS-3

(248mm*42mm)525g



PU-2

YS-368-11.5"-1-PU-2

(288mm*41mm)724g



E-1

YS-368-7"-1-E-1

(176mm*34mm) 145g



PU-1

YS-368-9.5"-1-PU-1

(236mm*44mm) 498g



RS-1

YS-368-11.5"-1-RS-1

(294mm*50.5mm) 881g,寬版.

- YS-368-6"-1-E
- YS-368-7"-1-E, PU, RS.
- YS-368-7"-2-E, PU, RS.
- YS-368-9.5"-1-E, PU, RS.
- YS-368-11.5"-1-E, PU, RS.
- YS-368-11.5"-1-E, PU, RS寬版.

E-2 (145mm*34mm) 91g

E-1 (176mm*34mm) 145g

E-1 (176mm*34mm) 160g+(2*12g)

E-1 (237mm*42mm) 338g

E-1 (290mm*42mm) 459g

E-1 (290mm*51mm) 614g

PU-1 (176mm*35mm) 229g

PU-1 (176mm*35mm) 244g+(2*12g)

PU-1 (236mm*44mm) 498g

PU-1 (287mm*43mm) 735g

PU-1 (288mm*53mm) 1020g

PU-2 (176mm*34mm)244g

PU-2 (176mm*34mm)259g+(2*12g)

PU-2 (239mm*42mm)560g

PU-2 (288mm*41mm)724g

• YS-368-7"-1-E, PU, RS.

• YS-368-7"-2-E, PU, RS.

• YS-368-8"-2-E, PU, RS.

• YS-368-9.5"-1-E, PU, RS.

• YS-368-11.5"-1-E, PU, RS.

• YS-368-11.5"-1-E, PU, RS寬版.

RS-1 (181mm*34mm) 225g

RS-1 (181mm*34mm)240g+(2*12g)

RS-1 (203mm*36mm)352g+(2*12g)

RS-1 (241mm*41mm) 508g

RS-1 (294mm*50.5mm)881g

RS-2 (180mm*35mm)213g

RS-2 (180mm*35mm)228g+(2*12g)

RS-2 (200mm*37mm)345g+(2*12g)

RS-2 (243mm*42mm)528g

RS-2 (295mm*43mm)678g

RS-3 (180mm*35mm)200g

RS-3 (180mm*35mm)205g+(2*12g)

RS-3 (208mm*39mm)334g+(2*12g)

RS-3 (248mm*42mm)525g

RS-3 (298mm*42mm)691g



E-2

YS-368-6"-1-E-2

(145mm*34mm) 91g



Turning to the best.





YS-398

(花開輪)



YS-398-8. 5"-2-R
(225mm*43mm) 500g(air tube) + (2*12g)
550g(inner eva)



YS-398-12"-2-R
(291mm*43mm) 735g+(2*20g)



YS-398-16"-1-R
(390mm*43mm) 1140g+(1*20g)



YS-502 series 4.7 寸 平面輪

YS-502-4.7"-1-E (120mm*24mm)64g



YS-358 series 5.5 寸 扁平輪

YS-358- 5.5"-1-E (145mm* 31mm) 102g
Good choice for lightweight buggy
Easy to DIY on flat wheel cap by printing



YS-336 series 和諧輪

YS-336-6"-2-E (146mm*32mm) 92g
YS-336-7"-1-E (165mm*35mm) 162g
YS-336-7"-2-E (165mm*35mm) 161g
YS-336-8"-1-E (195mm*40mm) 247g
YS-336-10"-1-E (240mm*45mm) 398g



YS-506 series 5.5 寸 奔馳輪

YS-506-5.5"-1-E-3 (140mm*25mm)86g



revolving your dreams.